

ENGINEERED HARDWOOD WALL PANELS



FINISH Fluted 5" Oak UV, Walnut: Varnish 10% Gloss with Antimicrobial Additive Fluted 5" Grey, White: Stained plus Varnish 10% Gloss with Antimicrobial Additive

SPECIES

Fluted 5" Grey, Oak, White: White Oak with a MDF Core Fluted 5" Walnut: Walnut with a MDF Core

WIDTH/LENGTH Fluted 5": 11.75"/96" or 11.75"/120" *Available in 8' length or 10' length COVERED AREA PER PANEL Fluted 5" Oak, Walnut, Grey, White: 96"/7.8 Sq.ft. or 120"/9.8 Sq.ft. *Sold per Unit; Ships LTL

THICKNESS Fluted 5": 0.51"



23O9 FLUTED 5" GREY



2310 FLUTED 5" WHITE



23O5 FLUTED 5" OAK UV



2310 FLUTED 5" WHITE



23O7 FLUTED 5" WALNUT



23O9 FLUTED 5" GREY



23O4 FLUTED 2" WHITE







23O2 FLUTED 2" WALNUT



23O2 FLUTED 2" WALNUT




23O3 FLUTED 2" GREY



23O4 FLUTED 2" WHITE





FINISH Fluted 2" Oak UV, Walnut:

Varnish 10% Gloss with Antimicrobial Additive Fluted 2" Grey, White: Stained plus Varnish 10% Gloss with Antimicrobial Additive


SPECIES

Fluted 2" Grey, Oak, White: White Oak with a MDF Core Fluted 2" Walnut: Walnut with a MDF Core

WIDTH/LENGTH Fluted 2": 11.75"/96" or 11.75"/120" *Available in 8' length or 10' length

COVERED AREA PER PANEL Fluted 2" Oak, Walnut, Grey, White: 96"/7.8 Sq.ft. or 120"/9.8 Sq.ft. *Sold per Unit; Ships LTL

THICKNESS Fluted 2": 0.51"



2090 FLUTED WALNUT




2090 FLUTED WALNUT








2097 FLUTED GREY



2097 FLUTED GREY





FINISH

Fluted Oak, Walnut: Varnish 10% Gloss with Antimicrobial Additive Fluted Grey, White: Stained plus Varnish 10% Gloss with Antimicrobial Additive

WIDTH/LENGTH Fluted Oak, Walnut, Grey, White: 11.75"/96" or 11.75"/120" *Available in 8' length or 10' length

SPECIES Fluted Oak, Grey, White: White Oak with a MDF Core Fluted Walnut: Walnut with a MDF Core

THICKNESS Fluted: 0.51" COVERED AREA PANEL Fluted Oak, Walnut, Grey, White: 96"/7.8 Sq.ft. or 120"/9.8 Sq.ft. *Sold per Unit; Ships LTL Only









2095 INTERSQUARE WALNUT



2093 HEX OAK OIL



2096 PEAKS WALNUT



2O92 HEX WALNUT



2092 HEX WALNUT



2096 PEAKS WALNUT

FINISH

Hex Walnut, Intersquare Walnut, Peaks Walnut: Varnish 10% Gloss with Antimicrobial Additive Hex Oak Oil: 100% Natural Oil

WIDTH/LENGTH

Hex Oak Oil, Hex Walnut: 11.75"/ 45.9" Intersquare Walnut: 15.7"/ 47.2" Peaks Walnut: 15.5"/ 47.2"

SPECIES

Hex Walnut, Intersquare Walnut,
Peaks Walnut: Walnut with a MDF Core
Hex Oak Oil: White Oak
with a MDF Core

THICKNESS

Hex Oak Oil , Hex Walnut, Intersquare Walnut, Peaks Walnut: 0.51" COVERED AREA PER CASE
Hex Oak Oil, Hex Walnut: 11.1 Sq.ft.
Intersquare Walnut: 15.3 Sq.ft.
Peaks Walnut: 15.27 Sq.ft.



FINISH Amazed (Oak/Walnut), Intersect (Oak/Walnut): Varnish 10% Gloss with Antimicrobial Additive


WIDTH/LENGTH

Amazed (Oak/Walnut): 14.4"/ 47.1" Intersect (Oak/Walnut): 15.4"/47.6" SPECIES

Amazed Oak, Intersect Oak: White Oak with an MDF Core Amazed Walnut, Intersect Walnut: Walnut with an MDF Core

THICKNESS Amazed (Oak/Walnut): 0.51" Intersect (Oak/Walnut): 0.51" COVERED AREA PER CASE Amazed (Oak/Walnut): 14.1 Sq.ft.

Intersect (Oak/Walnut): 15.27 Sq.ft.





2O94 AMAZED WALNUT



2031 AMAZED OAK



2094 AMAZED WALNUT



2038 INTERSECT OAK








2091 INTERSECT WALNUT

Midnight Collection





FLUTED 2"








3007 BLACK FLUTED 2"



3001 BLACK HEX



3003 BLACK AMAZED



3002 BLACK INTERSECT



3004 BLACK INTERSQUARE



3005 BLACK PEAKS



WIDTH/LENGTH Amazed: 14.4"/47.1" Fluted, Fluted 2", 5": 11.75"/96" or 11.75"/120" *Available in 8' length or 10' length

Hex: 11.75"/ 45.9" Intersect: 15.4"/ 47.6" Intersquare: 15.7"/ 47.2" Peaks: 15.5" / 47.2"

FINISH Varnish 10% Gloss with Antimicrobial Additive

SPECIES Black MDF with 0.5mm Wood Veneer Backing

THICKNESS 0.49"

COVERED AREA PER CASE Amazed: 14.1 Sq.ft. Fluted, Fluted 2", 5": 96"/7.8 Sq.ft. or 120"/9.8 Sq.ft. *Sold per Unit; Ships LTL Hex: 11.1 sq.ft. Intersect, Peaks: 15.27 Sq.ft. Intersquare: 15.3 Sq.ft.


Acoustical Collection - Eco








8005 FLUTED ECO GREY




8005 FLUTED ECO GREY



8004 FLUTED ECO WALNUT



8006 FLUTED ECO WHITE



8003 FLUTED ECO OAK



WIDTH/LENGTH Fluted Eco: 11.75"/96"

THICKNESS Fluted Eco: 0.87"


COVERED AREA PER PANEL Fluted Eco: 7.8 Sq.ft. per panel *Sold per Unit; Ships LTL FINISH

Fluted Eco Grey, Oak, Walnut, White: Varnish 10% Gloss with Antimicrobial Additive NRC RATING

Fluted Eco: NRC 0.54 up to 0.90 *Depending on Mounting Method

SPECIES

Fluted Eco Oak, Grey, White: White Oak / Wood Veneer with a MDF Core with a Felt Backing. Fluted Eco Walnut: Walnut/ Wood Veneer with a MDF Core with a Felt Backing.



WIDTH/LENGTH Acoustical Arbour, Hex: 12.8"/48" Acoustical Fluted: 12.8"/96"

COVERED AREA PER CASE Acoustical Arbour, Hex: 8.6 Sq.ft. Acoustical Fluted: 8.5 Sq.ft. per panel *Sold per Unit; Ships LTL

Acoustical Arbour, Fluted, Hex:

Varnish 10% Gloss with Antimicrobial Additive

SPECIES

Acoustical Arbour, Hex: White Oak with a MDF Core Backing Stone Wool with MDF Frame Acoustical Fluted: White Oak with Fire Treated MDF Core backing Stone Wool with MDF Frame

THICKNESS

Acoustical Arbour, Hex: 0.92" Acoustical Fluted: 1.14"

NRC AND FIRE RATING Acoustical Arbour, Fluted, Hex: NRC 0.60 & Class A Fire


Acoustical Collection






8002 ACOUSTICAL ARBOUR

8001.2 ACOUSTICAL FLUTED











8002 ACOUSTICAL ARBOUR



8007 ACOUSTICAL FLUTED WALNUT



8008 ACOUSTICAL FLUTED GREY




OOO ACOUCTICAL FLUTED WILLTE




8010 ACOUSTICAL HEX WALNUT



8011 ACOUSTICAL ARBOUR WALNUT



8007 ACOUSTICAL FLUTED WALNUT



WIDTH/LENGTH

Acoustical Arbour, Hex Walnut: 12.8"/48" Acoustical Fluted Grey, Walnut, White: 12.8"/96"

THICKNESS

Acoustical Arbour, Fluted, Hex: 1.14" Acoustical Fluted Grey, Walnut, White: 1.14"

FINISH

Acoustical Arbour, Fluted, Hex Walnut: Varnish 10% Gloss with Antimicrobial Additive Acoustical Fluted Grey, White: Stained plus Varnish 10% Gloss with Antimicrobial Additive

NRC AND FIRE RATING

Acoustical Arbour, Fluted, Hex Walnut: Acoustical Fluted Grey, Walnut, White: NRC 0.60 & Class A Fire

*Acoustical Hex and Arbour can be ordered as a 'Standard-Custom' in Grey and White for a minimum of 500 Sq. ft.

COVERED AREA PER CASE

Acoustical Arbour, Hex Walnut: 8.6 Sq.ft. Acoustical Fluted: 8.5 Sq.ft. per Panel *Sold per Unit; Ships LTL

SPECIES

Acoustical Arbour Walnut, Hex Walnut: Walnut with Fire Treated MDF Core Backing Stone Wool with MDF Frame Acoustical Fluted Grey, White: White Oak with Fire Treated MDF Core Backing Stone Wool with MDF Frame

Paintable Collection



WIDTH/LENGTH Amazed: 14.4"/ 47.1" Fluted (2"/5"): 11.75"/96" Hex: 11.75"/ 45.9" Intersect: 15.4"/ 47.6" Intersquare: 15.7"/ 47.2" Peaks: 15.5"/ 47.2"

THICKNESS Amazed, Fluted (2"/5"), Hex, Intersect, Intersquare, Peaks: 0.48" SPECIES
Amazed, Fluted (2"/5"), Hex,
Intersect, Intersquare, Peaks:
100% MDF with a Laminate Backer

Amazed: 14.1 Sq.ft.
Fluted (2"/5"): 7.8 Sq.ft. per panel
*Sold per Unit; Ships LTL
Hex: 11.1 Sq.ft.
Intersect, Peaks: 15.27 Sq.ft.
Intersquare: 15.3 Sq.ft.

COVERED AREA PER CASE

FINISH Amazed, Fluted (2"/5"), Hex, Intersect, Intersquare, Peaks: Unfinished



2086 PEAKS PAINTABLE



2082 INTERSECT PAINTABLE



2080 FLUTED PAINTABLE



2087 FLUTED 2" PAINTABLE



2088 FLUTED 5" PAINTABLE



2084 AMAZED PAINTABLE



2081 HEX PAINTABLE



2085 INTERSQUARE PAINTABLE

The Paintable collection is made out of nude 12 mm MDF. The panels are unfinished and intended to be painted to your desired color. * It is recommended to paint the panel with acrylic primer and paint to seal. Consult with your local paint store for specific product information.

8201 CORTICA WHITE



8200 CORTICA NATURAL



8101 CORCHO WHITE



8100 CORCHO NATURAL



8200 CORTICA NATURAL

Cork Collection



WIDTH/LENGTH

Corcho (Natural/White): 12"/48" Cortica (Natural/White): 12"/48"

FINISH

Corcho Natural, Cortica Natural: Matte Varnish Corcho White, Cortica White: 2 Coats of Acrylic Paint

SPECIES
Corcho, Cortica:
Cork with a MDF Core

THICKNESS 0.39"

COVERED AREA PER CASE Corcho, Cortica: 20 Sq.ft.



FINISH

Cubed, Incline, Slant, Vertex, Zig Zag: Varnish 10% Gloss with Antimicrobial Additive

WIDTH/LENGTH

Cubed: 17.14"/ 45.15" Incline and Vertex: 24"/24"

Slant: 23.5"/ 23.5" Zig Zag: 16.05"/41.69"

SPECIES

Cubed, Slant, Vertex: White Oak with a MDF Core Incline, Zig Zag: Walnut with a MDF Core

THICKNESS

Cubed, Incline, Slant, Vertex, Zig Zag: 0.28"

COVERED AREA PER CASE Cubed: 21.48 Sq.ft. Incline: 24 Sq.ft. Slant: 15.3 Sq.ft. Vertex: 24 Sq.ft.

Zig Zag: 18.6 Sq.ft.







2O35 SLANT



2O37 INCLINE



2O37 INCLINE



2O32 CUBED





2O34 VERTEX



2033 ZIG ZAG



2O32 CUBED



O929 QUADRI



3313 POLYGON



O929 QUADRI



4422 RHOMBUS PLAY





Polygon: 100% Natural Oil Quadri: 100% Natural Oil Rhombus Play: 100% Natural Oil

WIDTH/LENGTH

Polygon, Rhombus Play: 14"/ 48.5"

Quadri: 11.25"/ 56.25"

Polygon: White Oak Quadri: Barn Wood

Rhombus Play: Poplar

THICKNESS VARIATION

Polygon, Rhombus Play: 0.37" and 0.59"

Quadri: 0.71", 0.91" and 1.11"

Polygon, Rhombus Play: 14.1 Sq.ft. Quadri: 8.8 Sq.ft.

WIDTH/LENGTH 13.44"/53.75" COVERED AREA PER CASE 20 Sq.ft.

THICKNESS 0.59"

FINISH


Oak Weave: 100% Natural Oil Walnut Weave: 100% Natural Oil SPECIES

Oak Weave: White Oak Walnut Weave: Walnut





2002 WALNUT WEAVE







Our Teak Natural, Cloud, Coco RC are FSC-Certified, composed entirely of recycled wood from old homes and buildings from Indonesia. Through FSC-certification, we demonstrate our commitment to the environment.





WIDTH/LENGTH Teak Classic RP: 8"/19.5" Teak Natural, Cloud, Coco RC: 8"/19.5"

Teak Cloud, Coco RC: Pre-Stained



6003 TEAK CLOUD RC

Teak Classic RP: Recycled Teak Teak Natural RC: Recycled Teak Teak Cloud, Coco RC: Recycled Teak COVERED AREA PER CASE Teak Classic RP: 10.8 Sq.ft. Teak Natural RC: 10.8 Sq.ft. Teak Cloud, Coco RC: 10.8 Sq.ft.

THICKNESS VARIATION Teak Classic RP: 0.25" and 0.85" Teak Natural, Cloud, Coco RC: 0.25" and 0.85"





6001 TEAK CLASSIC RP



6002 TEAK NATURAL RC



6003 TEAK CLOUD RC



6004 TEAK COCO RC





Rootwood Beach, Dyed: Pre-Stained Rootwood Natural: Unfinished Branchwood Natural: Unfinished

WIDTH/LENGTH

Rootwood Beach, Dyed, Natural: 9"/19.5" Branchwood Natural: 8"/19.5"

SPECIES

Rootwood Beach, Dyed, Natural: Repurposed Teak Root Wood Branchwood Natural: Repurposed Teak Branch Wood

THICKNESS VARIATION

Rootwood Beach, Dyed, Natural: 0.25" and 0.85" Branchwood Natural: 0.25" and 0.85"

COVERED AREA PER CASE Rootwood Beach, Dyed, Natural: 11 Sq.ft. Branchwood Natural: 10.8 Sq.ft.





6007 ROOTWOOD BEACH




6006 ROOTWOOD DYED



6005 ROOTWOOD NATURAL



6008 BRANCHWOOD NATURAL



6009 HEXACOMB NATURAL














6011 BARKWOOD NATURAL



Hexacomb Natural: Unfinished Hexacomb Coco: Pre-Stained Barkwood Natural: Unfinished Prosperity Natural: Unfinished Prosperity Coco: Pre-Stained

WIDTH/LENGTH

Hexacomb: 8.19"/21.25" Barkwood: 7.87"/19.69" Prosperity: 14.56"/21.87"

Hexacomb: Teak Root Wood Barkwood: Teak Bark Wood Prosperity: Teak Root Wood

Hexacomb: 10.8 Sq.ft. Barkwood: 10.8 Sq.ft. Prosperity: 11.0 Sq.ft.

THICKNESS VARIATION Hexacomb, Barkwood, Prosperity: 0.37" and 0.87"

WIDTH/LENGTH Cellar: 14"/ 40" Heraldry: 16.5"/ 59.5" Origin: 18"/ 68" Washed: 18"/ 68"

COVERED AREA PER CASE Cellar: 15.6 Sq.ft. Heraldry: 27.2 Sq.ft.

Origin: 25.5 Sq.ft.

Washed: 25.5 Sq.ft.

SPECIES
Barn Wood

THICKNESS VARIATION Cellar: 0.39" and 0.43" Heraldry: 0.43" and 0.51" Origin: 0.47" and 0.55" Washed: 0.47" and 0.55"

FINISH

Cellar: Unfinished Heraldry: Unfinished Origin: Unfinished

Washed: Wire Brushed and Stained



O9O3 CELLAR



OIOI HERALDRY



2022 WASHED



2021 ORIGIN





OIOI HERALDRY



2022 WASHED



2021 ORIGIN

WIDTH/LENGTH 14"/57"

THICKNESS VARIATION 0.28" and 0.35"

COVERED AREA PER CASE 22 Sq.ft.

FINISH

Antiqued: 100% Natural Oil Juglans: Varnish 10% Gloss with Antimicrobial Additive

SPECIES

Antiqued: White Oak Juglans: Walnut



2012 JUGLANS





4796 ANTIQUED











WIDTH/LENGTH 14"/ 44"

THICKNESS VARIATION 0.33" and 0.39"

SPECIES Maple

COVERED AREA PER CASE 17 Sq.ft.

FINISH

Varnish 10% Gloss with Antimicrobial Additive



O429 LOBO





FINISH

Andover, Beach: 100% Natural Oil Barn: Varnish 10% Gloss with Antimicrobial Additive

Natural: Unfinished

WIDTH/LENGTH

Andover, Barn, Beach: 14"/ 47"

Natural: 14"/ 44"

SPECIES

Andover, Beach: White Oak Barn: Walnut

Natural: Barn Wood

THICKNESS VARIATION

Andover, Barn, Beach: 0.43" and 0.51"

Natural: 0.47" and 0.55"

COVERED AREA PER CASE Andover, Barn, Beach: 18.2 Sq.ft.





O318 BARN




3812 BEACH



O318 BARN



3812 BEACH





2590 ANDOVER



1231 NATURAL










O3IO NANAVUT



1012 YUKON



O3IO NANAVUT



1012 YUKON

WIDTH/LENGTH 13.5"/53.5"

THICKNESS VARIATION 0.19", 0.26" and 0.31"


COVERED AREA PER CASE 25 Sq.ft.

FINISH 100% Natural Oil

SPECIES Nanavut: Red Oak Niagara: White Oak Yukon: Maple



1223 ALBERTA



O53O MANITOBA




1223 ALBERTA



O6O2 BRITISH COLUMBIA



O53O MANITOBA



WIDTH/LENGTH 12"/60"

THICKNESS VARIATION 0.35" and 0.43"

COVERED AREA PER CASE 25 Sq.ft.

FINISH 100% Natural Oil

SPECIES
Mix of Hardwood Species

Due to the nature of the product as a unique and organic material, imperfections and variations in wood grain and color may vary from samples.



1105 PRINCE EDWARD



11O5 PRINCE EDWARD

WIDTH/LENGTH 13.5"/53.5"


THICKNESS VARIATION 0.19", 0.26" and 0.31"


SPECIES Walnut COVERED AREA PER CASE


lnut 25 Sq.ft.


FINISH

Varnish 10% Gloss with Antimicrobial Additive









Trim Pieces

Corner and Contour Moldings

Design is in the details. You can customize your look by installing our decorative panels wall to wall or with corner or contour molding. Our trim is sold in 90" pieces; availability varies based on species and wall panel. Please contact your sales representative today for more information.







Customization

Limitless Design Options

We have extensive experience taking conceptual designs and quickly translating them into prototypes and tangible products. That's a huge advantage for designers and architects. We act as a facilitator, knocking down barriers one by one so nothing stands in the way of your creative process.




CUSTOM BARNWOOD





CUSTOM WHITE



CUSTOM FLUTED WITH LOGO



CUSTOM HICKORY

Customization

We Bring Your Ideas to Life

Products can be personalized or fully customized.
Can't find the exact design or finish you want in our collections? When creativity calls, we're there every step of the way. Take advantage of our clever, artistic approaches as we guide you through a fast, personalized development process that takes into account your creative vision.


Quick Mock-Ups

You need to know your idea will work, and you need to know now. One of the things architects and designers appreciate about working with Stacked Wood is our ability to develop mock-ups in short order, helping streamline your creative process.





Tailor Made Process



CHOOSE FROM ITEMS THAT ARE EASILY MADE FOR YOU IN OUR TAILOR MADE SELECTION, IT IS A DIFFERENT WAY TO ORDER STACKED WOOD WALLS.

WE HAVE SHEETS READY TO GO FOR YOUR DESIGN NEEDS.

Select Your Design

Select one of eight design options to start the Tailor Made process.

Choose Your Wood

Select either Walnut or White Oak as your wood species.


Select Your Finish

Choose from 10% Varnish finish with an added antimicrobial additive or 100% Natural Oil.


Ship Time

Once your order is processed your order will be available to ship in five to seven business days.


DESIGN OPTIONS



WOOD OPTIONS



FINISH OPTIONS






HEX OAK - UV



INTERSQUARE OAK - OIL



AMAZED OAK - OIL



FLUTED OAK - OIL




INTERSECT OAK - OIL




FLUTED CEILING TILE - 2 OAK & 2 WALNUT TILES




EMERALD CEILING TILE - 2 OAK & 2 WALNUT TILES



INTERSQUARE CEILING TILE - 2 OAK & 2 WALNUT




SHIFT OAK TILE - 2 OAK & 2 WALNUT TILES



SLANT CEILING TILE - 2 OAK & 2 WALNUT TILES



LINEAR CEILING TILE - 2 OAK & 2 WALNUT TILES



AERIAL CEILING PLANKS - OAK



AERIAL CEILING PLANKS - WALNUT



SLEEK CEILING PLANKS - OAK



SLEEK CEILING PLANKS - WALNUT



CEILING TILES AND PLANKS ARE A NEW OUTSTANDING PROGRAM BROUGHT TO THE STACKED WOOD LINE. LOOK FOR THE NEW BROCHURE.

Select Your Design, Wood, and Profile Select your tile or plank design in either White Oak or Walnut. If you are selecting a tile chose between 9/16 or 15/16 track profile.

Acoustical Option

Add a black EcoCore 0.4" or 0.9" thick panel to the back of any Stacked Wood Ceiling Tile or Panel to gain an NRC rating between 0.55-0.65 (depending on mounting method).

Made of 100% polyester. Class A Fire rating.

Contact Your Rep

Reach out to your sales rep to figure out the number of tiles needed, profile, acoustical option and more.



SUMMARY

Experience Samples

Experience the beauty of Stacked Wood through curated samples; they provide a tactile and visual experience, allowing you to explore the character and color of the material in person. By examining the sample, you can fully appreciate the unique grains, textures, and variations that make stacked wood a captivating choice for your space.



Due to the nature of the product as a unique and organic material, imperfections and variations in wood grain, cork, and color may vary from samples.



SOONE

Acoustical

Collection





Cork

Collection















Generation

Collection










Midnight

Collection







Geometry

Collection



Maisie

Collection










SUMMARY





PROUDLY DISTRIBUTED BY:



30600 Aurora Road, Suite 110, Solon, OH 44139 P: 800-358-6332 • designresource-midwest.com



2275 Auto Centre Drive, Glendora, CA 91740 P: 800-472-7891 • Ibiboyd.com




30600 Aurora Road, Suite 110, Solon, OH 44139 P: 800-362-9930 • fashionadco.com

Please contact your area representative for more information or samples.

Front Cover: 2097 Fluted Grey Back Cover: 2037 Incline

Please visit stackedwoodwalls.com to obtain the correct installation instructions per design.



STACKEDWOODWALLS.COM

and specifications. We reserve all rights to amend any information published in our literature without additional notice. Stacked Wood Walls can not be held responsible or liable for the selection nor application of our products

Literature Disclaimer: Presentations in this brochure or any other Stacked Wood Walls publication are correct to the best of our knowledge at time of preparation. We provide this information in an advisory capacity only. Any advisory recommendations given in our publications must be modified to conform with local codes, conditions